KANGBEIJING
康蓓净



KJ-000等离子体空气消毒净化器

用户手册

http://www.kbeijing.cn/

使用本产品前
请仔细阅读并保存此说明书

客户服务

如果您有任何问题或疑虑
我们的客户服务团队随时为您提供帮助

24/7 在线客服
kf@kbeijing.cn
http://www.kbeijing.cn/

使用时请遵循以下特别提醒
以避免人身伤害或产品损坏

警告/注意事项

⚠ 警告

在使用本设备之前，需要仔细阅读的重要安全说明。

⚠ 注意事项

请注意，不当使用或操作可能会导致使用者受到伤害。



禁止

禁止进行的某些行为



强制

必须强制执行的操作

2 重要提示

⚠ 警告



请看护好家中儿童，避免他们接触或使用本产品。



防潮

请勿用湿手触摸插头，可能会导致触电。



禁止拆卸

禁止擅自拆卸、修理或改装本产品。

可能导致触电、火灾危险或受伤。
如有需要，请联系授权零售商进行维修。



禁止行为

在连接设备之前，请检查设备上标明的电压是否与当地电源电压相符。同时使用其他电器可能会导致插座过热或引发火灾危险。

3 产品概述

亲爱的消费者，感谢您选择康蓓净空气净化器。
在首次使用前，请仔细阅读本说明书。
本产品是一款小型桌面空气净化器。独特的外观设计为用户带来美学体验。它通过360° 全方位进气的方式，改善了空气循环和净化效果。该设备体积小巧，可放置在桌面上，对工作场所无负面影响。它可以吸收、溶解或转化各种空气污染物，从而改善空气质量。
康蓓净等离子体空气净化器为消费者提供清洁、安全的空气。
小身材，大能量！

4 产品概述



产品名称	等离子体空气消毒净化器	型号	KJ-000
输入电源	AC100-240V~50/60HZ	外形尺寸	Φ175mm*h314mm
输出电源	DC 12V 1A	重量	1.2Kg
功率	12W	电源线长度	1.8m

5 使用前准备


1. 打开包装。
2. 取出设备和滤网。
3. 在安装前，去除新滤网的保护袋。
4. 对准滤网锁定槽口，沿“🔓”方向拧紧滤网扣。
5. 请勿堵塞进风口和出风口，例如，不要在出风口上放置物品，或在距离进风口20 厘米以内的位置放置物品。
6. 在连接设备之前，请检查设备上标明的电压是否与当地电源电压相符。
7. 请将插头牢固插入电源插座。接通电源后，指示灯将闪烁。

警告：为降低火灾、触电或人员受伤的风险，请勿使用制造商未推荐的替换部件（例如，使用3D 打印机自制的部件）。

警告：为防止火灾或触电，请勿在本产品的风扇中假装任何限速控制装置ttt


6 移除滤网保护袋指南

1




逆时针方向旋转把手解锁

2




翻转空气净化器，取出滤网。

3




在安装前，移除滤网保护袋。


4



将滤网放入空气净化器中，并正确安装底座盖。拧紧滤网扣，直到听到咔哒声。

7 触控面板功能介绍






编号	图标	功能描述
1	开关 On/Off	接通电源后，指示灯将亮起1秒，然后进入待机状态，指示灯为红色。待机状态短按，启动机器，指示灯将变为白色。运行状态短按，关闭机器，指示灯将再次变为红色。当机器在通电运行状态下关闭，再次打开时，可以恢复到之前运行状态。若切断电源后再通电，则无法记忆断电前的运行模式。
2	风速调节 Speed	首次开机时，机器将以默认的第一档风速启动，相应的指示灯亮起。风速可在三个档位间循环切换：第一档→第二档→第三档，然后再回到第一档。当您切换档位时，相应档位的指示灯将亮起。

7 触控面板功能介绍

编号	图标	功能描述
3	睡眠模式 Sleep	开启睡眠模式后，睡眠按钮的指示灯将半亮，其他所有灯将熄灭。如果有定时设置，定时功能将保留，并且机器将在定时结束时关闭。按下任何按钮将退出睡眠模式，机器将自动恢复到第一档风速运行。
4	重置 Reset	滤网的使用寿命为2160 小时。当时间到了，滤网指示灯将亮起，提示需要更换滤网。更换滤网后，长按重置按钮3 秒钟。蜂鸣器将响两声，然后滤网指示灯将熄灭，计时将重新开始。
5	童锁 Lock	默认情况下，开机时童锁处于关闭状态（指示灯熄灭）。长按 2 秒钟打开童锁（指示灯将亮起）。此时，按钮无法操作，触摸按钮时蜂鸣器将发出声音。再次长按 2 秒钟关闭童锁。
6	定时器 Timer	默认情况下，开机时没有定时设置（指示灯熄灭）。开启定时模式后，可依次设置 2 小时、4 小时和 8 小时的定时（相应的指示灯将亮起）。
7	灯光 Light	开机时，环境灯（冰蓝色）默认开启。按一次将其关闭。


8 操作介绍

滤网结构



加湿（精油）托盘

1




向下按压，卡扣会自动弹开。然后将整个盒子向上推，然后即可取出储水盒。

2



取出加湿储水盒，然后逆时针旋转上盖，取出香薰海绵。

3



根据需要补充或更换香薰精油。

9 保养指南

清洁和维护说明

安全注意事项：

·保持关闭：清洁前或长时间不使用本产品时，请关闭设备并从插座上拔掉电源插头。

·避免浸水：切勿将电机底座浸入水中或置于流水下，以避免触电风险。

·小心处理滤网：滤网容易损坏和变形。清洁时请勿用力按压或拉扯。如果滤网损坏，请更换新的滤网。

清洁频率：

·滤网清理：根据滤网洁净度和使用频率，大约每月一次。

·整机清洁：定期清洁设备外表，以保持其外观和功能。

清洁方法：

·使用柔软的干布：用柔软的干布清洁设备，以保持其外观。

·避免使用粗糙材料：切勿使用粗糙的材料、钢丝球或任何可能刮伤或损坏设备表面的材料。

·禁止使用的清洁剂：请勿使用含磨料的清洁剂、丙酮、汽油或任何其他可能损坏设备的强化学物质。

9 保养指南

1. 收到产品后，请先打开底盖，取出滤网和适配器，去除滤网的保护袋，并重新安装滤网，关闭底盖，然后方可插入电源并开始操作。

2. 系统内置了滤网更换定时提醒功能。根据使用区域和环境空气质量的不同，滤网更换周期会有所不同。在污染严重的区域、吸烟区等地方，滤网更换周期可能会缩短。当过滤效果变差时，请更换滤网。

3. 清洁：用拧干的软布擦拭外表面、进风口和出风口。请勿使用含磨料的清洁剂清洁表面。

4. 长时间不使用时：拔掉电源适配器,清洁外表面和滤网。将产品收入塑料袋中，并存放在湿度较低的区域。

5. 在进行任何清洁、维护或维修之前，请确保拔掉电源线或将设备与电源断开。

6. 请勿使用易燃化学品、气雾剂或液体清洁设备。

7. 请遵循本说明书中提供的所有安全操作和维护说明。

不遵守以上警告可能会导致严重的人身伤害或财产损失。

10 重要提醒

产品安装说明

1. 拆箱和准备：

·收到产品后，首先打开底盖。·小心地从包装中取出滤网和适配器。

·从滤网上取下保护袋。·将滤网重新安装到设备中。·锁紧底盖。

2.通电：

·设备完全组装好后，您可以插入电源并开始操作。

3.内置定时提醒：

·系统内置了定时提醒功能，当需要更换滤网时会通知您。

·更换周期根据使用区域和环境空气质量而有所不同。在污染严重的区域或经常吸烟的环境中，滤网更换周期可能会缩短。

·如果您发现过滤效果变差，请及时更换滤网。

4.清洁说明：

·定期维护：

外表面：用拧干（不滴水）的软布擦拭外表面、进风口和出风口。

清洁剂：请勿使用含磨料的清洁剂，因为它们可能会损坏表面。

5.长期存放说明

·长时间不使用时：

拔掉插头并清洁：拔掉电源适配器。彻底清洁外表面和滤网。

准备存放：将设备放入塑料袋中，以防止灰尘进入。存放在湿度较低的区域，以防止受潮。

11 故障排查

问题	可能的原因及解决方法
产品产生异味	·滤网太脏且长时间未更换 ——请更换滤网。 ·滤网进水或机器在潮湿环境中使用 ——请更换滤网。 ·在封存一段时间后重新使用 ——请清洁滤网，如果问题无法解决 则需更换滤网。 ·若有烧焦的气味 ——立即停止使用，拔掉电源， 并联系客户支持团队。
不出风	电机不运转 ——检查电源，更换电源适配器 或联系客户支持团队。
感觉不到净化效果	·滤网失效——更换滤网。 ·在不适配的场景使用（面积过大）

KANGBEIJING

康蓓净

service@kbeijing.cn

http://www.kbeijing.cn

5021350

Made in China

KANGBEIJING
康蓓净



AIR PURIFIER

USER MANUAL

http://www.hearbobo.net/

READ AND SAVE THESE INSTRUCTIONS

CUSTOMER SERVICE

Our customer service team is always ready to assist you if you have any issues or concerns

24/7 LIVE CHAT SUPPORT

hearbobovip@gmail.com

http://www.hearbobo.net/

1 IMPORTANT

Please follow the additional recommendations below to avoid personal injury or damage to the product.

WARNING/ATTENTION

WARNING

Please read the important safety instructions carefully before using this appliance.

ATTENTION

It reminds us that improper use or handling may cause injury.



FORBID

The operation cannot be performed or forbidden.



FORCE

A certain operation should be performed (mandatory).

2 IMPORTANT

WARNING



Please supervise your children and avoid them from touching or using appliances



AVOID WET

Do not handle the plug with wet hands.
It may cause electrical shock.



NO DISASSEMBLE

Do not disassemble, repair, or reconstruct the appliance.
It may cause an electric shock, fire hazard, or getting an injury. Contact the authorized retailer for item repairing.



FORBID

Check if the voltage indicated on the appliance corresponds to the local power voltage before you connect the appliance. Other electric appliances used simultaneously may cause may cause the socket to overheat or pose a fire hazard.

3 PRODUCT INTRODUCTION

Dear customer, thank you for choosing HEARBOBO air purifier.

Please read this manual carefully before first use.

This product is a small desktop air purifier. The unique appearance design provides users with an aesthetic experience. It improves the air circulation and purification effect through the way of 360° all-round air intake. The device is compact enough to be placed on a desktop and has no negative impact on the workplace. It can absorb, dissolve or convert various air pollutants, thus improving the air quality.

HEARBOBO air purifier provides consumers with clean and safe air.

Small yet powerful!

4 PRODUCT OVERVIEW



Product name	Air purifier	Model	K03
Adapter	Input AC 100-240V 50/60Hz	Item Dimensions	d6.89in X h12.36in
Adapter	Output DC 12V 1A	Net Weight	2.65lb
Power	12W	Power Cord Length	1.8m/5.9ft

5 BEFORE USE

1. Open the package.

2. Take out the unit and the filter.

3. Remove the new filter protective bag before installation.

4. Align the filter locking notches and tighten the filter buckle in the "🔓" direction.

5. Do not block the air inlet and outlet, e.g. by placing items on the air outlet or in front of the air inlets closer than 20cm.


6. Check if the voltage indicated on the appliance corresponds to the local power voltage before you connect the appliance.

7. Please insert the plug into the power socket firmly. After switching the power on, the indicator light will flash.

"WARNING: To Reduce The Risk Of Fire, Electric Shock Or Injury To Persons, Do Not Use Replacement Parts That Have Not Been Recommended By The Manufacturer (e.g. Parts Made At Home Using A 3D Printer)."
WARNING : "To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Fan With Any Solid-State Speed Control Device."


6 HOW TO REMOVE THE PROTECTIVE BAG

1




Rotate the twist handle counterclockwise to unlock.

2




Flip the air purifier over and remove the filter.

3




Remove the filter protective bag before installation.


4



Place the filter into the air purifier and install the base cover properly. Tighten the filter buckle until it clicks into place.

7 CONTROL PANEL OVERVIEW






No.	ICON	Function description
1	On/Off	After the power is turned on, the indicator lights will be on for 1 second and then enter the standby state, with the symbol indicator light being red. Press it once to turn on the machine and the symbol indicator light will turn white. Press it again to turn off the machine and the symbol indicator light will turn red again. When the machine is running with power on and is turned off and then turned on again, it can resume the previous mode. However, if the power is cut off and then turned on again, it wonat remember the previous mode.
2	Speed	When you turn on the machine for the first time, it will start in the default first gear, with the corresponding indicator light illuminated. The wind speed can be cycled through three gears: first gear → second gear → third gear, and then back to first gear. As you change gears, the indicator light for the respective gear will illuminate.

7 CONTROL PANEL OVERVIEW

No.	ICON	Function description
3	Sleep	When the sleep mode is turned on, the indicator light of the sleep button will be half-lit and all other lights will be turned off. If there is a timing setting, the timing function will be retained and the machine will turn off when the timing ends. Pressing any button will exit the sleep mode and the machine will automatically return to operate in the first gear of the wind speed.
4	Reset	The service life of the filter is 2160 hours. When the time is up, the filter indicator light will be on and the filter needs to be replaced. After replacing the filter, long-press the restoration button for 3 seconds. The buzzer will sound twice and then the filter indicator light will go out and the timing will start anew.
5	Lock	By default, the child lock is off (the indicator light is off) when the machine is turned on. Long-press it for 2 seconds to turn on the child lock (the indicator light will be on). At this time, the buttons cannot be operated and the buzzer will sound when the buttons are touched. Long-press it for 2 seconds again to turn off the child lock.
6	Timer	There is no timing set by default when the machine is turned on (the indicator lights are off). After turning on the timing mode, 2-hour, 4-hour and 8-hour timings can be set in sequence (the corresponding indicator lights will be on).
7	Light	The ambient light (ice blue) is on by default when the machine is turned on. Press it once to turn it off.


8 OPERATION

FILTER OVERVIEW



ESSENTIAL OIL TRAY

1




Firstly, press downwards, and the buckle will automatically pop open. At this time, the whole box will be pushed upwards, and then the whole box can be taken out.

2



Take out the fragrance essential oil box, and then rotate the upper cover counterclockwise to take out the fragrance sponge.

3



Refill or replace the fragrance essential oil as needed.

9 CARE AND MAINTENANCE

Cleaning and Maintenance Instructions
Safety Precautions:
•Always Switch Off and Unplug: Turn off the appliance and unplug it from the wall outlet before cleaning or when it is not in use for an extended period.
•Avoid Immersion: Never immerse the motor base in water or place it under running water to avoid the risk of electric shock.
•Handle Filter Carefully: The filter is easily damaged and deformed. Do not press or pull it forcefully during cleaning. If it is damaged, replace it with a new one.
Cleaning Frequency:
•Filter Cleaning: Refer to the filter cleaning and maintenance frequency, which is approximately once a month.
•Regular Cleaning: Clean the exterior of the appliance regularly to maintain its appearance and functionality.
Cleaning Methods:
•Use a Soft, Dry Cloth: Clean the appliance with a soft, dry cloth to preserve its appearance.
•Avoid Abrasive Materials: Never use abrasive objects, scourers, or any materials that could scratch or damage the applianceas surface.
•Prohibited Cleaning Agents: Do not use abrasive cleaning agents, acetone, petrol, or any other harsh chemicals that could harm the appliance.

9 CARE AND MAINTENANCE

1. After receiving the product, first open the bottom cover, take out the filter and the adapter, remove the PE bag of the filter and then reinstall the filter, close the bottom cover, and then you can plug in the power and start the operation.
2. The system has a built - in timing reminder function for replacing the filter element. It varies depending on the area and ambient air quality. The filter replacement cycle may be reduced in heavily polluted areas, smoking areas, and etc. When the filtering effect is poor, please replace the filter.
3. Cleaning: Wipe the outer surface, the air inlet and outlet with a wrung soft cloth. Do not clean the surface with abrasive cleaning agents.
4. When not in use for a long period: unplug the power adapter, clean the outer surface and filter. Put it in a plastic bag and store in a low humidity level area.
5. Always unplug the power cord or disconnect the appliance from the power supply before performing any cleaning, maintenance, or servicing.
6. Do not use flammable chemicals, aerosols, or liquids to clean the unit.
7. Follow all instructions provided in this manual for safe operation and maintenance.

Failure to comply with these warnings may result in serious injury or property damage.

10 IMPORTANT

Product Setup Instructions:
1. Unpack and Prepare:
•After receiving the product, first open the bottom cover.
•Carefully remove the filter and adapter from their packaging.
•Remove the PE bag from the filter.•Reinstall the filter into the device.
•Close the bottom cover securely.
2. Power Up:
•Once the device is fully assembled, you can plug in the power and start the operation.Filter Replacement GuidelinesBuilt-in Timing Reminder:
•The system includes a built-in timing reminder function to notify you when itas time to replace the filter element.
•The replacement cycle varies based on the area and ambient air quality. In heavily polluted areas or environments with frequent smoking, the filter replacement cycle may need to be shortened.
•If you notice poor filtering effect, please replace the filter promptly.
Cleaning InstructionsRegular Maintenance:
•Outer Surface: Wipe the outer surface, air inlet, and outlet with a soft cloth that has been wrung out (not dripping wet).
•Cleaning Agents: Do not use abrasive cleaning agents, as they can damage the surface.Long-Term Storage InstructionsWhen Not in Use for an Extended Period:1. Unplug and Clean:
•Unplug the power adapter.
•Clean the outer surface and filter thoroughly.
3. Prepare for Storage:
•Place the device in a plastic bag to protect it from dust.
•Store it in an area with low humidity to prevent moisture damage.

11 TROUBLESHOOTING

PROBLEM	POSSIBLE REASON AND SOLUTIONS
The air purifier produces a strange smell.	• The filter is too dirty and has not been replaced for a long time-replace the filter. • Water has entered the filter or the machine has been used in a humid environment-replace the filter. • Reuse after sealed for a period of time-clean the filter, if it cannot be solved replace the filter. • If there is a burning smell-stop using it immediately, unplug the power supply and contact customer support team.
No airflow out of air purifier	The motor is not running-check the power supply, replace the power adapter or contact the customer support team.
Can't feel the effect	• Filter failure-replace the filter. • Use in inappropriate places (excessive area)

KANGBEIJING

康蓓净

service@kbeijing.cn

http://www.kbeijing.cn

5021350

Made in China